

Introduction to Technical Cost Modeling Concepts and Illustrations

Materials Systems Laboratory
Massachusetts Institute of Technology
Cambridge, Massachusetts

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Why Is Cost Important?

- **A measure of resource consumption**
 - How much is required to do (e.g., produce) something?
 - Resources themselves are sometimes hard to define and measure
 - Cost is a useful shorthand

- **Therefore, cost is usually a key decision variable**
 - Reduces the issue of resources to a common metric
 - Actually measured in terms of a real thing - cash
 - Can also be a measure of a real amount (like a bank account balance!)

- **Key uses of cost**
 - Establishing cash requirements for an operation/project
 - Estimation of revenue requirements for project success
 - Determining strategies -- ways of acting
 - Make-buy decisions
 - Choice of process, design, technology
 - Acquisition/Selling strategies

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Diversity of Uses --> Diversity in Definitions of "Cost"

- What is Cost?
- Cost "definitions" a reflection of key assumptions
Assumptions which may defeat the uses of the cost metric if misunderstood
- Examples
 - Operating Cost
 - Overhead Cost
 - Depreciated Cost
- Let's start with some formal definitions.....

Cost To The Economist

- Cost is used to define resource constraints on production
- Recall how one finds the marginal conditions for production

$$\begin{aligned} &\text{maximize } Q = f(X_1, X_2, X_3, \dots, X_i) \\ &\text{subject to a budget constraint } B = \sum(p_i \times X_i) \end{aligned}$$

- Efficiency in production is governed by
 - structure of cost
 - nature of the technology
(ratio of the marginal products to the marginal costs must be equal for all factors)

Cost In Practice

- Companies rarely juggle marginal products and marginal costs for optimality
- Instead, the day-to-day operational mantra becomes:
 - Maximize output
 - Minimize cost
- In practice, maximizing output means "keep the machines/process running"
- In practice, minimizing costs means "keep track of everything that is bought and try to find ways to buy less"
- Accounting is the tool for tracking expenses

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Cost In Practice - Accounting

- Basic principle: Total all expenditures
- In practice, however, the total is not as useful as specific elements of cost
- Subdivisions of cost developed
 - Recurring (or variable) costs
 - One time (or fixed) costs
- Simplifications introduced to
 - Get the right total cost (thus making it possible to set revenue targets correctly)
 - Indicate which elements of the production process require the most control (because they most clearly influence total costs)
 - Without swamping the decisionmaker with too much information
- Example: Classical accounting practice focused upon Labor as the key cost driver
 - Demonstrations of errors have pointed to need for new estimation methods
 - Use of Activity-based accounting to rectify

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Cost Modeling

- Problem:
 - Economist's cost is an abstraction, driven by considerations of optimality
 - Accounting cost depends upon measurement of an existing operation

 - How, then, to use cost as a decision tool when neither the economist's abstraction nor existing accounting information is appropriate?

- Examples:
 - Prediction of the cost of a new process, facility, technology
 - Comparison of alternative designs
 - Evaluation of strategic choices

- A "third way" is required

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Needed: A Tool Encompassing the Formality of Economics & the Empiricism of Accounting

- Engineering Needs a Cost Tool to Evaluate:
 - State of Technology
 - Current Processing Conditions
 - Value of Research Directions

- Businessman Needs a Cost Tool to Evaluate:
 - Competitiveness of His Operation
 - Strategies for Development
 - Investment Needs and Opportunities

- Decisionmakers Need a Tool That:
 - Limits Assumptions
 - Is Explicit About The Assumptions Made
 - Imposes a Consistent Basis fo Comparison & Evaluation

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory


Alternative Approach: Cost Modeling

- Why Modeling Instead of Analysis or Structure or ...?
 - Imposition of Structure
 - Incorporation of Knowledge
 - Inclusion of Technology
- Cost Modeling Has Its Weaknesses, Too
 - Garbage In, Garbage Out
 - Time Consuming to Develop
 - Expensive -- \$\$\$

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Conceptual Basis of Cost Model



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Evolution of a Cost Model - Injection Molding

- Conventional Wisdom

$$Part\ Cost = 2 \times Material\ Cost$$

- What Is Material Cost?

$$Materials\ Cost = \frac{(Part\ Weight \times Raw\ Material\ Price)}{(1 - Material\ Scrap\ Rate)}$$

- Limited Perspective
 - No Consideration of Technology Improvement
 - Cannot Incorporate Process Improvement
 - Too Much Weight Placed On Material Cost

Evolution of a Cost Model - Injection Molding

- Classical Accounting Perspective

$$Part\ Cost = Material\ Cost + Labor\ Cost \times Burden\ Rate$$

- What is Labor Cost?

$$Labor\ Cost = Effective\ Labor\ Rate \times Time\ To\ Make\ A\ Part$$

$$Effective\ Labor\ Rate = \frac{Labor\ Wage}{Labor\ Productivity}$$

$$Time\ To\ Make\ A\ Part = Cycle\ Time$$

$$Cycle\ Time = f(Material, Geometry, Technology, \dots)$$

- Note that a Technological Element (Cycle Time), A Production Element (Productivity) and a Factor Price (Wage Rate) Have Been Introduced
- What is Burden Rate??? -- Accounting Construct

Burden Rate

- Concept Introduced By The Accounting Perspective on Cost Estimation
- Based on the Assumption that Physical Plant Must Be Bought To "Maintain" Labor
- Therefore, All Other Costs Of A Plant Operation Are Summed, Then Divided By Total Labor Hours To Get A "Burden" Rate
- Includes: Machines, Tooling, Utilities, Buildings, Support Staff, Maintenance
- Can Also Include: Research , Sales, Management, etc.
- However, Can Estimate Most Of These Elements From Process Considerations

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Injection Molding -- Elements of Burden

- Tooling Cost
- Machine Cost -- Press and Auxiliary Equipment
- Machine Maintenance
- Building
- Support Labor
- Energy Consumption
- Opportunity Cost of Capital/Cost of Money
- Each of These Can Be Estimated Directly, Based Upon Engineering, Economic and Processing Considerations!

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Time As A Critical Parameter - Engineering & Practice Driven

- Time To Process a Part - Underlies Almost All Cost Factors
- Directly Effects Key Production Parameters
 - Variable Costs:
 - Labor
 - Energy
 - Fixed Costs
 - Number of Machines
 - Number of Tools
- Total Production Time Available
 - Critical To Capital Cost Allocations
 - Number of Shifts
 - Number of Days
 - Productive Hours in a Shift


Example of Differences In Time of Equipment Use		
	US	Korea
days/shift	240	320
shifts/day	2	2
hrs/shift	6.4	6.4
total hrs/yr	3000	4100

33% Better Capital Utilization In Korea

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory


Processing Time/Rate Critical to Cost



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Processing Time/Rate Critical to Cost



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Processing Time and Its Relationship with Capital Costs

- Number of Machines/Production Lines

$$\# \text{ of lines} = \frac{\text{Cycle Time} \times \text{Annual Production Volume}}{\text{Available Production Time} \times \# \text{ of Cavities}}$$

(rounded up to the next integer value)

- Number of Tools
of Tools = # of Lines

- Lifetime of Tools

$$\text{Tool Life (yrs)} = \frac{\text{Tool Life (cycles)} \times \# \text{ of cavities}}{\text{Annual Production}}$$

- Critical Accounting Assumption -- Dedication

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Dedicated/Non-Dedicated Equipment Assumption

- If a piece of capital equipment is used to manufacture more than one product in a year, the cost of the part should reflect this
- Typically, cost is shared according to the fraction of total operating time required to produce the targeted production

$$\text{Run Time} = \frac{\text{Cycle Time} \times \text{Annual Production Volume}}{\text{Available Production Time} \times \# \text{ of Cavities}}$$

- Note: This term is substituted for the number of lines term when equipment is assumed not dedicated
- But - Tooling is ALWAYS dedicated


Amortization of Capital Costs

- Capital Costs Must Be Annualized/Amortized to Account for Financing Costs or Opportunity Costs
- Simple Annuity Calculation:

$$\text{Annual Cost} = \text{Total Capital Cost} \times \frac{r \times (1+r)^n}{(1+r)^n - 1}$$

- Note: The period of the annuity/payback is determined by either
 - the accounting lifetime of the capital good (machines, buildings, etc.),
 - the lifetime of the product being produced (tooling) or
 - the physical lifetime of the capital good, whichever is shorter.

Processing Time/Rate - Critical To Cost



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Time To Process A Part - Engineering Parameter

- Use Combination of Engineering and Theoretical Approaches
- Cooling Time - Theoretical Determination


$$\text{Cooling Time} = \frac{\rho d^2 c_p}{\pi^2 \kappa} \ln \left[\frac{8 \times (T_{\text{Melt}} - T_{\text{Mold}})}{\pi^2 \times (T_{\text{Eject}} - T_{\text{Mold}})} \right]$$

- Filling Time - Function of Shot Size - Function of Part Weight
- Mold Cycle - Function of Press Size, But Likely A Small Variation
- Cannot Expect Perfect Match To Theory, So Try To Correlate

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Cooling Time, Part Weight and Cycle Time Correlation



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Evolution of a Cost Model - Injection Molding

- Equipment and Tooling Cost - Primary Capital Expenditures
- Equipment Size Function of Clamping Force
- Clamping Force Function of Part Geometry and Processing Parameters
- Empirical Relation:


$$\text{Clamp Force} = \text{Projected Area} \times N_{\text{cavities}} \times \sqrt{\frac{224}{\text{nominal wall}}} + 172$$

- Clamp Force Can Then Be Related To Press Cost

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory


Capital Cost Relationships



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Correlation Between Press Cost and Tonnage



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory


Evolution of a Cost Model - Injection Molding

- Tooling Cost Estimation Extremely Difficult To Do Reliably
- Process Tooling Is Usually
 - Customized
 - Made By Hand
 - Without Consistent Specification
 - Without Consistent Lifetime
 - Subject to Multiple Revisions
- Nevertheless, Some Guidelines Can Be Established
 - Physical Size of the Tool
 - Complexity of the Machining Required
 - Special Treatments of Surfaces
 - Actions, Other Features

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Tooling Cost Regression Estimates



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory


Industry Practice Parameters

- Operating Hours & Labor Productivity
- Building Space Requirements and Land Cost
- Amount of Auxiliary Equipment
- Amount of Overhead Labor
- Cost of Capital

Elimination of Burden - Example

- **Injection Molding Machine Size - Function of Molding Pressure**
- **Molding Pressure - Function of Resin Being Molded and Part Geometry**
- **Strong Linear Correlation Between Press Tonnage and Press Cost**
- **Amortize Machine Cost and Divide By Annual Production Rate**
- **If Not Dedicated to Single Part Production, Scale Cost By Operating Fraction**


Model Results - Cost Estimate



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory


Model Results - Sensitivity to Production Volume



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Model Results - Sensitivity to Cycle Time



Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory

Technical Cost Modeling - Summary

- **Systematic Erosion of Complex Problem of Cost Estimation**
- **Reduction To Set of Simpler Analyses or Explicit Assumptions**
- **Can Incorporate Engineering Knowledge, Economic Assumptions and Processing Practice, Within A Consistent Framework For Analysis**
- **Yields Detailed Results -- With All Assumptions Presented and Explicit**
- **Can Be Readily Customized To Specific Situations**

Massachusetts Institute of Technology
Cambridge, Massachusetts

MSL
Materials Systems Laboratory